EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20060233137"	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/11 19:10
S1	0	"10662379"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/02 12:55
S2	1	10/662379	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/02 12:55
S3	12080	handover	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/18 16:25
S4	134	handover same multipath	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/18 16:25
S5	40	optimal near2 (rout$3 or point) with multicast$3	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 10:37
S6	1	redundant near2 path (optimal near2 router with switch$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 11:04
S7	1	redundant near2 path ((optimal near2 router) same switch$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 11:04
S8	3	redundant ((optimal near2 router) same switch$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 11:04
S9	19	optimal near2 (rout$3 or point) with multicast$3 @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 12:52
S10	20	(path near2 (data or information)) (shortest near path) (handover or handoff) multicast$3 @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 13:15
S11	2	(path near2 (data or information)) (shortest near path) ((handover or handoff) same (multicast$3 or multipath or multi-path) same (mobile or wireless)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 13:21

S12	16	(compar$4 with path) hop ((choos$3 or chose or select$3) near3 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 13:56
S13	2	(compar$4 near2 path) hop ((choos$3 or chose or select$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:03
S14	0	((compar$4 or analyz$3) with optimal with path) hop ((choos$3 or chose or select$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:05
S15	0	((compar$4 or analyz$3) with optimal with (path or rout$3)) hop ((choos$3 or chose or select$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:06
S16	4	((compar$4 or analyz$3) adj3 (path or rout$3)) hop ((choos$3 or chose or select$3) adj2 router) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:06
S17	19	((stop$4 or cancel$4) near3 multicast$3) (remov$3 with router) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:58
S18	0	(((stop$4 or cancel$4) near3 multicast$3) same (remov$3 with router)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:59
S19	8	(((stop$4 or cancel$4) near3 multicast$3) (remov $3 near2 router)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 14:59
S20	194	multicast (request near3 (path or rout$3)) ((terminat $3 or end$3 or stop$4) near2 request) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 15:50
S21	6	multicast handover (request near3 (path or rout$3)) ((terminat$3 or end$3 or stop$4) near2 request) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 15:50

S22	4	multicast handover (request near3 (path or route or routing)) ((terminat$3 or end$3 or stop$4) near2 request) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/19 15:51
S23	378	(request near3 (path or route or routing)) ((terminat$3 or end$3 or stop$4) near2 request with (path or route or routing)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 15:59
S24	215	(request near (path or route or routing)) ((terminat$3 or end$3 or stop$4) near2 request with (path or route or routing)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 15:59
S25	98	(request near2 (path)) ((terminat$3 or end$3 or stop$4) near2 request with (path)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 16:00
S26	39	(request near2 (path)) ((terminat$3 or end$3 or stop$4) adj2 request with (path)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 16:04
S27	1	"10914574"	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/19 16:27
S28	19	2002/0150094	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 16:01
S29	1	"20020150094"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 16:01
S30	1	"20020001310"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 17:03
S31	2	"20020009073"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/26 17:10
S32	0	handover same ((shortest or optimal) near2 path) same (multicast)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:49
S33	47	handover same ((shortest or optimal) near2 path)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:49
S34	76136	(ID or identification) near2 (mobile or terminal or device)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50

S35	28778	(multicast or multicast$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S36	1	S33 S34 S35	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S37	308519	(ID or identification) with (mobile or terminal or device)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:50
S38	1	S33 S36 S35	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:51
S39	7	S33 S34	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:51
S40	0	S33 S34 @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 15:51
S41	65	(handover or multicast) with (cancel$7 or stop$4) with (request$3) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:07
S42	146	(handover or multicast) with (copy$3 near2 (information or data)) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:35
S43	23	(handover or multicast) (compar$3 with path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:48
S44	1	(handover or multicast) (compar$3 near2 path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:48
S45	0	(handover multicast) (compar$3 near3 path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:55
S46	6	(handover or multipath or multicast) (compar$3 near3 path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:55
S47	6	(handover or multipath or multicast$3) (compar$3 near3 path) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:56

S48	21	(handover or multipath or multicast$3) (compar$3 near3 (path or route)) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:57
S49	3	(handover) (multipath or multicast$3) (compar$3 near3 (path or route)) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 16:58
S50	6	(multipath or multicast$3) (compar$3 adj3 (path or route)) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:16
S51	0	(multipath or multicast$3) (compar$3 adj3 (path)) same (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:17
S52	1	(multipath or multicast$3) handover (compar$3 adj3 (path)) (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:17
S53	3	(multipath or multicast$3) handover ((rat$3 or compar$3 or rank$3 or analyz$3) adj3 (path)) (router or tower) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/27 17:18
S54	181	(router near2 switch$3) same (handover or multicast$3) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:44
S55	0	(router near2 switch$3) same (handover and multicast$3) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:44
S56	3	(router near2 switch$3) same (handover) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:44
S57	5	((router near2 switch$3) same (multicast$3)) handover @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:49
S58	12	((router with switch$3) same (multicast$3)) handover @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:52
S59	1	((switch$3 adj router) same (multicast$3)) handover @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:53

S60	1	((switch$3 adj3 router) same (multicast$3)) handover @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:53
S61	10	((switch$3 adj3 router) (multicast$3)) handover @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:54
S62	47	((switch$3 adj3 router) (multicast$3)) (handover or handoff) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:55
S63	0	((switch$3 adj3 router) same (multicast$3)) same (handover or handoff) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 15:56
S64	1737	ospf @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:08
S65	1590	ospf path @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:13
S66	59	(ospf with path) (handoff or handover) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:14
S67	59	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:16
S68	29	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:16
S69	22	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) cost multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:20
S70	1	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) cost multicast algorithm (shortest near2 hop) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:45
S71	1	(ospf with path) (handoff or handover) ((optimal or shortest) near3 path) cost multicast algorithm (shortest near2 hop) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 16:45

S72	2	"20020080752"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:01
S73	0	((start$3 near3 point) same router) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:08
S74	14	((start$3) same router) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:08
S75	3	((start$3) with point) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:09
S76	0	((start$3) near3 point) (handoff or handover) ((optimal or shortest) near3 path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:10
S77	12	((start$3) near3 point) (handoff or handover) (path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:10
S78	4	((start$3) adj3 point) (handoff or handover) (path) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:11
S79	0	(handoff or handover) same ospf same multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:30
S80	5	((handoff or handover) same ospf) multicast @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:31
S81	8835	709/238	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:45
S82	152	370/299	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:51
S83	6180	370/229	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:51
S84	8835	709/238	US-PGPUB; USPAT; USOCR	AND	OFF	2009/02/28 17:51

S85	1	"20020167898"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/03/09 17:30
S86	241	(router with multicast with (wireless or mobile))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:19
S87	960	(path with handover)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:19
S88	21909	(server with switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
S89	1	S86 S87 S88	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
S90	34709	(server same switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
S91	1	S86 S87 S90	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:20
S92	39643	(dynamic$5 same switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
S93	16398	(dynamic$5 with switch)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
S94	1	S86 S87 S93	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
S95	3612	((OSPF or path) same (handover or handoff))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
S96	1	S86 S94 S95	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:21
S97	416	(router with multicast with (wireless or mobile or terminal))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22
S98	1	S97 S94 S95	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22
S99	612	(router with multicast same (wireless or mobile or terminal))	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22
S100	1	S97 S94 S99	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:22

S101	2	S95 S93 S99	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:23
S102	2577	(router with multicast)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:24
S103	13651	(mobile or wireless) with (handover or handoff)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:25
S104	38276	(server with switch$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:25
S105	19	S102 S103 S104	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/12 19:25
S106	9	(server with (switch$3 or relay)) with (hop near3 count)	US-PGPUB; USPAT; USOCR	AND	OFF	2010/09/08 15:21
S107	13	(server with (switch$3 or relay)) with (hop near3 count)	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/08 15:21
S108	1512	(location or movement or roam$3) with switch$3 with router	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/08 15:23
S110	19752	(order or sequen$5) with (compar$4 or select$3) with path	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/08 15:24
S111	85	(order or sequen$5) with (compar$4 or select$3) with path with hop	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/08 15:25
S112	228	relay$3 with hop with select$4	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/08 15:25
S113	497	relay$3 with hop with (select$4 or determin$3 or compar$4)	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/08 15:26
S114	1	redundant near2 path ((optimal near2 router) same switch$3)	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/08 15:26
S115	7	multicast handover (request near3 (path or rout$3)) ((terminat$3 or end$3 or stop$4) near2 request) @ad<"20020917"	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/08 15:27
S116	1	"20060015584"	US-PGPUB; USPAT; USOCR	AND	OFF	2010/09/09 10:28

S117	1478	455/455	US-PGPUB; USPAT; USOCR	AND	OFF	2010/09/09 11:28
S118	1249	455/519	US-PGPUB; USPAT; USOCR	AND	OFF	2010/09/09 11:28
S119	8025	455/436	US-PGPUB; USPAT; USOCR	AND	OFF	2010/09/09 13:37
S120	8129	370/331	US-PGPUB; USPAT; USOCR	AND	OFF	2010/09/09 13:38
S121	41	(optimal with path with router with hop)	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/09 13:38
S122	4227	370/332	US-PGPUB; USPAT; USOCR	AND	ON	2010/09/09 14:36

EAST Search History (Interference)

<This search history is empty>

9/11/2010 8:02:12 PM
C:\ Documents and Settings\ rscott\ My Documents\ EAST\ Workspaces\ 10662379.wsp